

MATERIAL SAFETY DATA SHEET



Graphic Arts Products

Base-Line Inc.
4 Corporate Drive, Ste. 186
Shelton, CT 06484
Ph. 203.925.0240
Fax: 203.925.0239

Emergency Telephone:
1.877.651.5329 - product tracking code 9755
Date Prepared: January 26th, 2006
Reviewed: March 1, 2009

Jomac DCC - Dampening Cover Cleaner

1 of 3

Section 1

PRODUCT IDENTITY

Label Name: Jomac Dampening Cover Cleaner (Jomac - DCC)
Chemical Family:
Formula Number:

Section 2

COMPOSITION/INFORMATION ON INGREDIENTS

<i>Chemical Name</i>	<i>CAS</i>	<i>OSHA PEL</i>	<i>ACGIH TLV</i>	<i>Weight %</i>
ANIONIC SURFACTANTS	Mixture	N.E.	N.E.	10-15
2-BUTOXYETHANOL	111-76-2	25 ppm TWA(skin)	25 ppm	3-6
DIPROPYLENE GLYCOL	34590-94-8	100 ppm	100 ppm	1-3
SODIUM CARBONATE	5968-11-6	N.E.	N.E.	1-3
NONIONIC SURFACTANTS	Mixture	N.E.	N.E.	1-3
DIETHANOLAMINE	111-42-2	3 ppm TWA	0.46 ppm(skin)	< 2

Section 3

PHYSICAL & CHEMICAL PROPERTIES

Boiling Point:	>212°F	Specific Gravity:	1.04 Water =1
Melting Point:	N/A	Vapor Pressure:	N.E.
Evaporation Rate:	< 1	Freezing Point:	N.E.
Vapor Density:	N.E.	PH:	12.00
Solubility in water:	Complete	Percent Volatile:	81.53
VOC:	112.56 g/L or 10.82% or 0.94 lbs/gal		
Appearance and Odor:	Clear liquid, slight glycol ether odor		

Section 4

FIRE & EXPLOSIVE HAZARD DATA

Flash Point (Method used):	T.C.C. 200°F	Flammability Limits:	LEL N/A	UEL N/A
Extinguishing Media:	Foam, water fog, carbon dioxide, dry chemical.			
Special Fire Fighting Procedure:	Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece in positive pressure mode.			
Unusual fire and explosive hazards and physical hazards:	Avoid contact with metals.			
Combustion products:	Ammonia will be released. Heat may release carbon monoxide.			

Section 5

REACTIVITY DATA

Stability:	Stable
Conditions to avoid:	Avoid high temperatures and contact with metals.
Incompatibility:	Strong acids.
Hazardous decomposition or byproducts:	Carbon monoxide and carbon dioxide may evolve under extreme conditions.
Hazardous polymerization:	Will not occur

Section 6

HEALTH HAZARD DATA

Eyes:	May cause irritation or permanent damage.
Skin:	May cause irritation upon contact.
Ingestion:	May cause irritation to nasal membranes and respiratory tract.
Inhalation:	Alkaline nature of solution may cause irritation or corrosion to digestive tract.



Graphic Arts Products

MATERIAL SAFETY DATA SHEET

Base-Line Inc.
4 Corporate Drive, Ste. 186
Shelton, CT 06484
Ph. 203.925.0240
Fax: 203.925.0239

Emergency Telephone:
1.877.651.5329 - product tracking code 9755
Date Prepared: January 26th, 2006
Reviewed: March 1, 2009

Jomac DCC - Dampening Cover Cleaner

2 of 3

Health Hazard Data

Primary Routes of Entry	N/A
Published Exposure Limits	N/A
Listed as carcinogen	None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.
Effects of Overexposure	Eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, coughing, nausea, diarrhea.

Emergency and First Aid Procedures

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Inhalation: No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If irritation develops, remove to fresh air and get medical attention if cough or other symptoms develop.

Ingestion: If swallowed, DO NOT induce vomiting. Give large quantities of water. Call a physician or poison control center immediately.

Skin Contact: Wash affected area with soap and water for at least fifteen minutes. If irritation occurs, seek medical attention.

Aggravated Medical Conditions: Skin contact may aggravate an existing dermatitis.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

Section 7

SPILL OR LEAK PROCEDURES

Steps to be taken in case the material is released or spilled.

Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

Section 8

RECOMMENDED CONTROL MEASURES

Respiration Protection:	When this product is used in the intended way, no respiratory protection is anticipated to be necessary.
Ventilation:	Local exhaust ventilation is recommended. Ventilation must be adequate to keep hazardous ingredients below their exposure limits.
Protective Gloves:	Safety glasses with side shields (or goggles).
Other protective equipment:	Rubber or plastic apron.
Work/Hygienic Practices:	Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.
Engineering Controls:	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Section 9

SPECIAL PRECAUTIONS

Precautions to be taken in handling or storage: Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal. Dispose of in a licensed facility.

MATERIAL SAFETY DATA SHEET



Graphic Arts Products

Base-Line Inc.
4 Corporate Drive, Ste. 186
Shelton, CT 06484
Ph. 203.925.0240
Fax: 203.925.0239

Emergency Telephone:
1.877.651.5329 - product tracking code 9755
Date Prepared: January 26th, 2006
Reviewed: March 1, 2009

Jomac DCC - Dampening Cover Cleaner

3 of 3

Section 10

TRANSPORTATION DATA

DOT Class: NOT REGULATED
Hazard Class: NONE
UN No.: NOT APPLICABLE
Packing Group:
Guide No:
Ship Name: NOT REGULATED

Section 11

PRECAUTIONARY LABELING

HMIS RATING:	Health	3
	Flammability	0
	Reactivity	1
	Personal Protection	D

Judgment as to the suitability of information herein of the user's purpose are necessarily the user's responsibility. Reasonable care has been taken in the preparation of this information, but extends no warranties, makes no representations as to the accuracy or suitability for consequences of misuse. The information presented above is offered for informational purposes only. This MSDS, and the associated product, is intended for use only to technically qualified persons, and at their own discretion and risk. Since conditions and manner of use are outside the control of Base-Line Inc., we make no warranties, either expressed or implied and assume no liability in connection with any use of the information.

Abbreviations: *N/D* - Not Determined *N/A* - Not Applicable *N/F* - Not Found