



BASE-LINE CHEMICAL PRODUCT SELECTOR

<i>Product number</i>	<i>Description</i>	<i>Units per Case</i>	<i>Sales U/M</i>	<i>Shipping Weight</i>
Film Chemistry				
For use with all Rapid Access films.				
RAFD5G	Rapid Access Developer	2 X 2.5 Gal	Case	54
RAFD5GRTU	Rapid Access Developer-Ready to Use	2 X 2.5 Gal	Case	50
RAFIX5G	Rapid Access Fixer	2 X 2.5 Gal	Case	58
RAFIX5GRTU	Rapid Access Fixer-Ready to Use	2 X 2.5 Gal	Case	53

Conventional Negative Plate Chemistry

Used to process and finish Base-line, Agfa, Anitec, Anocoil, Kodak Polychrome, IBF, Konica Minolta, and many more OEM plates

DLSDEV5G	DL-Subtractive Developer - 5 Gallon	1	Pail	47
SDEV1G	AI Subtractive Developer - broken case	1	Gallon	10
SDEV4G	AI Subtractive Developer - full case	4	Case	39
SDEV5G	AI AI Subtractive Developer - 5 Gallon	1	Pail	47
SDEV55G	AI Subtractive Developer - 55 Gallon	1	Drum	525
SFIN1G	Subtractive Finisher - broken case	1	Gallon	10.5
SFIN4G	Subtractive Finisher - full case	4	Case	41.5
SFIN5G	Subtractive Finisher - 5 Gallon	1	Pail	48.5
2IN1DEV1G	2 IN 1 Developer/Finisher -broken case	1	Gallon	10
2IN1DEV4G	2 IN 1 Developer/Finisher - full case	4	Case	40
2IN4DEV5G	2 IN 1 Developer/Finisher -5 Gallon	1	Pail	46.5

Conventional Positive Plate Chemistry

For Developing all positive working Lithographic plates

POSDEV4G	Positive Plate Developer - full case	4	Case	38.5
----------	--------------------------------------	---	------	------

Newspaper Plate Chemistry

Used to finish and process the Base-Line News80 plate.

NEWS80DEV5G	NEWS 80 Subtractive Developer - 5 Gallon	1	Pail	44.5
NEWS802IN15G	2 IN 1 News 80 Developer/Finisher - 5 Gallon	1	Pail	46

Violet CtP Plate Chemistry

This negative working developer and replenisher is used to process Base-Line, Agfa N91v, Konika and Kodak photopolymer based printing plates.

UVPD5G	Universal Violet Plate Developer - 5 Gallons	1	Pail	44.5
--------	--	---	------	------





BASE-LINE CHEMICAL PRODUCT SELECTOR

Product number	Description	Units per Case	Sales U/M	Shipping Weight
----------------	-------------	----------------	-----------	-----------------

Thermal CtP Plate Chemistry

Used for thermal 830mm lithographic printing plates, including Ipagosa, Base-Line thermal 830, Dotworks Conqueror Plate, Kodak Electra XL and Konika Thermal 830 plate

IPDEV5G	Thermal Plate Developer - 5 Gallons	1	Pail	47.5
PREBAK5G	Prebake Solution - 5 Gallons	1	Pail	47

Plate Cleaners and Miscellaneous Plate Chemicals

SRDS1Q	Scratch Remover/Desensitizer - broken case	1	Quart	2.5
SRD12Q	Scratch Remover/Desensitizer - full case	12	Case	27.5
NEUT5G	PH Neutralizer - 5 Gallons	1	Pail	47.5
PCR1Q	Plate Cleaner Reconditioner - broken case	1	Quart	2.5
PCR12Q	Plate Cleaner Reconditioner - full case	12	Case	28
PFC1Q	Plate Cleaner Preserver Finisher - broken case	1	Quart	2.5
PFC12Q	Plate Cleaner Preserver Finisher - full case	12	Case	28

Back Cylinder Ink Preventer

Convenient spray-on coating prevents ink from sticking to your back cylinder and marking your press sheets. Back Cylinder Ink Preventer reduces future ink build-up, and thus offsetting, and costly down time. Sold only in full cases, no air shipments.

BACKC-200415	14 oz. Aerosol Cans - full case	6	Case	7
--------------	---------------------------------	---	------	---

Fargel®

Ink additive specially formulated to accelerate ink drying time which helps prevent offsetting. Fargel works on any porous paper stock and with oil, rubber, soy, acrylic, laser/thermal, or metallic inks, and in overprint varnish. Fargel will not reduce the ink's open time.

FARGEL-1008	8 oz. Jars - full case	6	Case	4
FARGEL-1008-B	8 oz. Jar - broken case	n/a	Jar	0.7
FARGEL-1016	16 oz. Jars - full case	6	Case	8
FARGEL-1016-B	16 oz. Jar - broken case	n/a	Jar	1.5

Jomac® DCC - Dampening Cover Cleaner

Gentle but very effective cleaner is specially formulated to remove ink off press from sleeves, rollers (rubber and synthetic), and nitrile gloves. DCC will not break down the fibers of roller covers, causing premature wear. Sold only in full cases.

DCC-GALLON	Gallons - full case	4	Case	40
------------	---------------------	---	------	----

Jomac® DPS - Dampening Prep Solution

Jomac Dampening Prep Solution can be used on and off press, and enhances the water affinity of dampening covers and rollers in continuous dampening systems. By creating a thin, even application of water to the plate, and reducing ink contamination of dampening rollers, DPS gives you faster, trouble-free start-ups. Sold only in full cases.

DPS-QUART	Quarts - full case	6	Case	14
-----------	--------------------	---	------	----



Base-Line Inc., 4 Corporate Drive, Suite 186, Shelton, CT 06484, USA

phone: 1.800.872.0075 and 203.925.0240, fax: 1.203.925.0239
email: info@base-line.com, web: www.base-line.com

***For terms and conditions, please see Base-Line Terms and Conditions sheet. All prices are subject to change without notice. Prices are in USD. All weights shown are in lbs.



BASE-LINE CHEMICAL PRODUCT SELECTOR

<i>Product number</i>	<i>Description</i>	<i>Units per Case</i>	<i>Sales U/M</i>	<i>Shipping Weight</i>
-----------------------	--------------------	-----------------------	------------------	------------------------

Laser Direct™ Universal Fountain Solution

Fountain solution formulated for use with polyester laser plates is also compatible with silver-based and metal plates, which makes it an ideal multi-purpose fountain solution. It should always be diluted (32:1, water to solution) when wetting and running laser plates.

LASER-54103	Gallons - full case	4	Case	39
LASER-54103-B	Gallon - broken case	n/a	Gallon	10

Laser Direct™ Plate Cleaner

This cleaner is specially formulated for polyester laser plates and is uniquely suited for cleaning plate surfaces and removing toner scatter that can cause tinting on press. Using Laser Direct™ Plate Cleaner is an easy, economical, and efficient way to get the best reproduction from dry toner imaged laser plates. Use full-strength with a soft, low-linting cotton pad or sponge.

LASER-520701	Quarts - full case	6	Case	14
LASER-520701-B	Quart - broken case	n/a	Quart	2.5

Maticlean

This cleaner and conditioner can be used on chrome, rubber, nylon, and ceramic metering rollers in continuous dampening systems. Maticlean quickly removes ink build-up and any other oily matter. Maticlean coats the roller surface with its unique formula to make it more water receptive.

MATIC-222611	Quarts - full case	6	Case	13
MATIC-222611-B	Quart - broken case	n/a	Quart	2.5
MATIC-222613	Gallons - full case	4	Case	33
MATIC-222613-B	Gallon - broken case	n/a	Gallon	9

RCL - Reactive Cross Linking Fountain Solution

GATF award winning one step fountain solution dramatically decreases the time needed for ink to setup and dry. RCL does not require alcohol or other additives. U.V. and IR dryers increase RCL's effectiveness but are not necessary.

RCL-503	Gallon	n/a	Each	9
RCL-506	5 Gallon	n/a	Each	45

Total Release Compound (TRC)

Unique ink additive improves the transfer of ink from the printing blanket to the press sheet, which results in more consistent solids with reduced voids, shading, and ghosting. TRC also reduces ink tack without affecting ink body or the ink's open time. TRC can be used with oil, soy, rubber, acrylic, laser/thermal, U.V., or metallic inks and in overprint varnish.

TRC-0014	14 oz. Jars - full case	12	Case	13
TRC-0014-B	14 oz. Jar - broken case	n/a	Jar	1.5
TRC-0006	6 lb Can	n/a	Can	6

